



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).



Finis umbræ veræ, quæ exit è limbo  
Lunæ circa punctum definitum per Diame-  
trum à centro ductam per Cleomedem.

H. M. S.

5 48 50

III. *Observationes aliquot Circum-Jovialium ha-  
bite eodem anno 1724. per eundem Cl. Blan-  
chinum. Ex eadem Epistola.*

Dies. Mens.

8

Jun.

T.V. post Med.Noct.

H. M. S.

2 48 30

**I**N Castro Viscardi supra Vul-  
finium in eodem ferè Meridi-  
ano cum Vulfiniis (vulgò Bolsena)  
Satelles secundus B (*Vide Fig. 2.*)  
ex umbra Jovis emerferat, & ita  
configuratus viscebatur cum cæ-  
teris.

Satelles tertius C subit limbum  
Jovis è directo fasciæ mediæ.

Satellitidis intimi A incipit lumen  
imminui.

Totalis ejusdem immerfio, re-  
liquis Satellitibus B, D, & fasciis  
perspicuè apparentibus.

24 Jun. Romæ observata est tum im-  
mersio secundi Satellitidis, tum pri-  
mi, ita configuratis Jovialibus.  
(*Vide Fig. 3*)

Satellitidis secundi B incipit lu-  
men debilitari.

Omnimoda ejusdem immerfio.

1 39 0

1 40 20

Etiam

Diet. Mens.

H. M. S.

Etiam Satellitis primi A lumen  
imminui jam incipit. 1 41 50

Lux ejusdem omninò disparet,  
cæterorum lumine, & fasciarum  
adspectu nitidissimè perseverante. 1 42 50

*Kal. Jul.* Illucescente Aurora, Romæ im-  
mersio totalis intimi Satellitis Jovis  
clarissimè spectata est; cum ante  
minuta secunda horaria 55'' circi- 3 24 29  
ter, lumen ejusdem cœperit debili-  
tari, cæteris Satellitibus & fasciis  
perspicuè apparentibus, cœlo cla-  
rissimo.

T.V. post Merid.

18. *Aug.* Romæ intimus Jovis Satelles ex  
umbra cœpit emergere, & plenif-  
simè lucebat in A, inter limbum  
Jovis, & secundum Satellitem B, 0 40 45  
(*Vide Fig. 4.*) qui a limbo Jovis  
distabat semidiametro circiter Jo-  
vialis disci. Satelles A emerfit  
ab umbra inter duas fascias corpo-  
ris Jovialis inferiores, situ everso  
in Telescopio. 0 41 25

Observatio fuit clarissima &  
diligentissima, cœlo clarissimo.

T.V. post Merid.

25. *Sept.* Romæ, intimi Jovis Satellitis  
initium Emersionis. 11 25 55

Totalis recuperatio luminis. 11 27 5

*Dies. Mens.**Temp. V. post Merid.*

		<i>H. M. S.</i>
<b>II. Octob.</b>	Albani, ejusdem intimi Satellitis initium Emerfionis.	9 53 8

Ex pluribus observationibus Romæ habitis, & Ulyssipone, eruitur Meridianorum differentia 1 h. 28' 0'', seu Grad. 22, quæ tanè differentia aut omninò vera, aut quam proximè veritati accedere videtur.